

PAT-NO: JP409028458A
DOCUMENT-IDENTIFIER: JP 09028458 A
TITLE: PLATE FOR MAKEUP
PUBN-DATE: February 4, 1997

INVENTOR-INFORMATION:
NAME
KOKUNI, YOSHIE

ASSIGNEE-INFORMATION:
NAME COUNTRY
KOKUNI YOSHIE N/A

APPL-NO: JP07209068
APPL-DATE: July 24, 1995

INT-CL (IPC): A45D040/30

ABSTRACT:

PROBLEM TO BE SOLVED: To provide an easily usable plate for makeup capable of finishing eyebrows in a beautiful shape in the case of drawing the eyebrows or shaving the eyebrows.

SOLUTION: A mask plate 2 to be put on a face used at the time of making up or shaving the part of the eyebrows of the face of a human is provided with eye piece holes 3 and notched holes 4 in an eyebrow shape. Thus, when the eyebrow part is made up matched with the shape of the notched holes, the eyebrows are

finished in the beautiful shape.

COPYRIGHT: (C)1997,JPO

* NOTICES *

JPO and NCIPi are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

CLAIMS

[Claim(s)]

[Claim 1] The plate for makeup which prepared the notching hole which made the eyepiece hole and the eyebrows configuration the mask plate with which it is covered to a face in case makeup or a shave of the part of the eyebrows human being's face is carried out.

[Claim 2] The plate for makeup which prepared the notching hole which made the eyebrows configuration the transparent mask plate with which it is covered to a face in case makeup or a shave of the part of the eyebrows human being's face is carried out.

[Claim 3] The plate for makeup which prepared the eyepiece hole in the mask plate with which it is covered to a face in case makeup or a shave of the part of the eyebrows human being's face is carried out, and made the upper limb of this mask plate the curve of an eyebrows configuration.

[Claim 4] The plate for makeup which made the upper limb of the transparent mask plate with which it is covered to a face in case makeup or a shave of the part of the eyebrows human being's face is carried out the curve of an eyebrows configuration.

[Translation done.]

*** NOTICES ***

JPO and NCIPi are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

DETAILED DESCRIPTION

[Detailed Description of the Invention]

[0001]

[Industrial Application] This invention relates to the makeup tool used in case makeup or a shave of the part of the eyebrows human being's face is carried out.

[0002]

[Description of the Prior Art] Although eyebrows may be drawn or a supercilium may be shaved with a razor using cosmetics when making up the part of eyebrows, the principal who faced to the mirror is carrying out by the so-called free hand using his hand at this time.

[0003]

[Problem(s) to be Solved by the Invention] When drawing the eyebrows of one's face or shaving a supercilium toward a mirror, it is not ready in a beautiful form, or right and left do not become the symmetry in many cases, and there is a problem that it is not finished so that a principal may consider very much. Then, when drawing eyebrows or shaving a supercilium, the technical problem which it is made in order that this invention may solve such a problem, and this invention tends to solve can make a beautiful configuration to eyebrows, and usage is also to offer an easy makeup tool.

[0004]

[Means for Solving the Problem] In case this invention carries out makeup or a shave of the part of the eyebrows human being's face, it has prepared the notching hole which was the plate for makeup covered and used for a face, and made the form of predetermined eyebrows the mask plate in order to consider as the criteria which finish the configuration of eyebrows finely, when drawing eyebrows on the plate for the said makeup.

[0005] Moreover, when shaving a supercilium, in order to prepare the configuration of eyebrows, the upper limb of a mask plate was made into the curve of a predetermined eyebrows configuration.

[0006] Moreover, since it is necessary to see a mirror when drawing eyebrows or shaving a supercilium, an eyepiece hole is prepared or the mask plate itself is made into transparency so that outside may be visible to the part which comes at hand when a mask plate is covered to a face.

[0007]

[Function] When covering and using the plate for makeup of this invention for a face, drawing eyebrows or shaving a supercilium like an eye mask, let it be the criteria for making a predetermined configuration to eyebrows.

[0008] In drawing eyebrows, it is covered with the mask plate which prepared the notching hole of an eyebrows configuration to a face, and if it carries out as [come / an eyepiece hole / before an eye], it locates this notching hole in the part of eyebrows. Then, if eyebrows are drawn according to the configuration of this notching hole, the configuration of eyebrows can be finished finely.

[0009] Moreover, if it is covered with the mask plate which made the upper limb the curve of an eyebrows configuration to a face and makes it an eyepiece hole come before an eye in shaving a supercilium, the upper limb of this mask plate is located in the upper part of eyebrows. Then, if a supercilium is shaved according to the configuration of this upper limb, the configuration of eyebrows

can be prepared finely.

[0010] Although the eyepiece hole is provided in the mask plate so that outside can be seen when the plate for makeup of this invention is covered to a face, it can also be made what excluded the eyepiece hole by making the mask plate itself into transparence.

[0011]

[Example] Hereafter, the example of this invention is explained based on a drawing.

[0012] The perspective view in which drawing 1 shows the plate for makeup of the 1st example, and drawing 2 are the front views showing the busy condition of the plate for makeup of the 1st example. The plate 1 for makeup of this example is used when drawing eyebrows. The plate 1 for makeup has formed the notching hole 4 which made the eyepiece hole 3 and the eyebrows configuration the mask plate 2 with which it is covered to a face like an eye mask. Moreover, since the mask plate 2 is fixed to the face, it has the elastic band 5 wound around a head.

[0013] If it fixes to the face as are shown in drawing 2 , and it is covered with the mask plate 2 to a face, an elastic band 5 is wound around a head and outside can be seen from the eyepiece hole 3 when drawing eyebrows, the notching hole 4 is exactly located in the part of eyebrows 6. Then, if the eyebrows 6 of each right and left are drawn according to the configuration of this notching hole 4, right and left do not become unsymmetrical and the configuration of eyebrows 6 can be finished finely. Moreover, since the plate 1 for makeup can be used only by being covered with the mask plate 2 to a face like an eye mask, it is very simple for usage.

[0014] Since especially the configuration of the notching hole 4 is not limited, if the plate 1 for makeup with which the configurations of the notching hole 4 differ is prepared several kinds and it enables it to choose from them, the eyebrows of the configuration according to liking of everybody can be made to it.

[0015] Drawing 3 is the front view showing the busy condition of the plate for makeup of the 2nd example. The plate 7 for makeup of the 2nd example shown in drawing 3 as well as the plate 1 for makeup of the 1st example is used when drawing eyebrows. The plate 7 for makeup created mask plate 8 the very thing for the transparent raw material, and has formed the notching hole 4 which carried out the eyebrows configuration. Usage is the same as that of the case of the 1st example. Since it is not necessary to prepare an eyepiece hole and since mask plate 8 the very thing is created for the transparent raw material in the case of this example, and outside can be seen through the mask plate 8 whole, there is the advantage of being easy to make up by a visual field being large.

[0016] Drawing 4 is the front view showing the busy condition of the plate for makeup of the 3rd example. The plate 9 for makeup of the 3rd example shown in drawing 4 is used when shaving eyebrows 6. The plate 9 for makeup forms the eyepiece hole 11 in the mask plate 10, and makes upper limb 10a of the mask plate 10 the curve of an eyebrows configuration. If it is covered with the mask plate 10 to a face and is made for the eyepiece hole 11 to come before an eye, since upper limb 10a of the mask plate 10 is exactly located in the upper part of eyebrows 6, if eyebrows 6 are shaved according to the configuration of this upper limb 10a, the configuration of eyebrows 6 can be prepared finely.

[0017] Since it does not limit, especially the configuration of upper limb 10a prepares some kinds of plates 9 for makeup with which the curvilinear configurations of upper limb 10a differ, and if it enables it to choose from them, it can prepare them on the eyebrows of the configuration according to liking of everybody.

[0018] Drawing 5 is the front view showing the busy condition of the plate for makeup of the 4th example. The plate 12 for makeup of the 4th example shown in drawing 5 as well as the plate 9 for makeup of the 3rd example is used when shaving eyebrows. Although usage is almost the same as the plate 9 for makeup of the 3rd example, the plate 12 for makeup is creating the mask plate 13 for the transparent raw material. Since the mask plate 13 is transparent, while an eyepiece hole is unnecessary, since outside can be seen through the mask plate 8 whole, a visual field is large, and it is easy to do a shave. Moreover, since there is no eyepiece hole, it can also prevent that the shaved supercilium goes into an eye.

[0019] It does not pass over what has so far been described in the example, and this invention is not

limited to these examples. Therefore, about a configuration and a raw material, if it is not limited to the thing of an example and has the same operation and effectiveness, other configurations, a raw material, etc. are employable.

[0020]

[Effect of the Invention] The following effectiveness can be done so by this invention.

[0021] (a) On the plate for makeup of this invention, since the notching hole which made the predetermined eyebrows configuration the mask plate is prepared, if eyebrows are drawn according to this notching hole, the configuration of eyebrows can be finished finely.

[0022] (b) Moreover, on the plate for makeup of this invention, since the upper limb of a mask plate is made into the predetermined eyebrows configuration, if a supercilium is shaved according to this upper limb, the configuration of eyebrows can be prepared finely.

[0023] (c) Since the plate for makeup of this invention can be used only by wearing to a face like an eye mask, it is very simple for usage.

[Translation done.]

* NOTICES *

JPO and NCIPi are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

TECHNICAL FIELD

[Industrial Application] This invention relates to the makeup tool used in case makeup or a shave of the part of the eyebrows human being's face is carried out.

[Translation done.]

* NOTICES *

JPO and NCIPi are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

PRIOR ART

[Description of the Prior Art] Although eyebrows may be drawn or a supercilium may be shaved with a razor using cosmetics when making up the part of eyebrows, the principal who faced to the mirror is carrying out by the so-called free hand using his hand at this time.

[Translation done.]

* NOTICES *

JPO and NCIPi are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

EFFECT OF THE INVENTION

[Effect of the Invention] The following effectiveness can be done so by this invention.

[0021] (a) On the plate for makeup of this invention, since the notching hole which made the predetermined eyebrows configuration the mask plate is prepared, if eyebrows are drawn according to this notching hole, the configuration of eyebrows can be finished finely.

[0022] (b) Moreover, on the plate for makeup of this invention, since the upper limb of a mask plate is made into the predetermined eyebrows configuration, if a supercilium is shaved according to this upper limb, the configuration of eyebrows can be prepared finely.

[0023] (c) Since the plate for makeup of this invention can be used only by wearing to a face like an eye mask, it is very simple for usage.

[Translation done.]

* NOTICES *

JPO and NCIPi are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

TECHNICAL PROBLEM

[Problem(s) to be Solved by the Invention] When drawing the eyebrows of one's face or shaving a supercilium toward a mirror, it is not ready in a beautiful form, or right and left do not become the symmetry in many cases, and there is a problem that it is not finished so that a principal may consider very much. Then, when drawing eyebrows or shaving a supercilium, the technical problem which it is made in order that this invention may solve such a problem, and this invention tends to solve can make a beautiful configuration to eyebrows, and usage is also to offer an easy makeup tool.

[Translation done.]

* NOTICES *

JPO and NCIPi are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

MEANS

[Means for Solving the Problem] In case this invention carries out makeup or a shave of the part of the eyebrows human being's face, it has prepared the notching hole which was the plate for makeup covered and used for a face, and made the form of predetermined eyebrows the mask plate in order to consider as the criteria which finish the configuration of eyebrows finely, when drawing eyebrows on the plate for the said makeup.

[0005] Moreover, when shaving a supercilium, in order to prepare the configuration of eyebrows, the upper limb of a mask plate was made into the curve of a predetermined eyebrows configuration.

[0006] Moreover, since it is necessary to see a mirror when drawing eyebrows or shaving a supercilium, an eyepiece hole is prepared or the mask plate itself is made into transparence so that outside may be visible to the part which comes at hand when a mask plate is covered to a face.

[Translation done.]

* NOTICES *

JPO and NCIPi are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

EXAMPLE

[Example] Hereafter, the example of this invention is explained based on a drawing.

[0012] The perspective view in which drawing 1 shows the plate for makeup of the 1st example, and drawing 2 are the front views showing the busy condition of the plate for makeup of the 1st example. The plate 1 for makeup of this example is used when drawing eyebrows. The plate 1 for makeup has formed the notching hole 4 which made the eyepiece hole 3 and the eyebrows configuration the mask plate 2 with which it is covered to a face like an eye mask. Moreover, since the mask plate 2 is fixed to the face, it has the elastic band 5 wound around a head.

[0013] If it fixes to the face as are shown in drawing 2, and it is covered with the mask plate 2 to a face, an elastic band 5 is wound around a head and outside can be seen from the eyepiece hole 3 when drawing eyebrows, the notching hole 4 is exactly located in the part of eyebrows 6. Then, if the eyebrows 6 of each right and left are drawn according to the configuration of this notching hole 4, right and left do not become unsymmetrical and the configuration of eyebrows 6 can be finished finely. Moreover, since the plate 1 for makeup can be used only by being covered with the mask plate 2 to a face like an eye mask, it is very simple for usage.

[0014] Since especially the configuration of the notching hole 4 is not limited, if the plate 1 for makeup with which the configurations of the notching hole 4 differ is prepared several kinds and it enables it to choose from them, the eyebrows of the configuration according to liking of everybody can be made to it.

[0015] Drawing 3 is the front view showing the busy condition of the plate for makeup of the 2nd example. The plate 7 for makeup of the 2nd example shown in drawing 3 as well as the plate 1 for makeup of the 1st example is used when drawing eyebrows. The plate 7 for makeup created mask plate 8 the very thing for the transparent raw material, and has formed the notching hole 4 which carried out the eyebrows configuration. Usage is the same as that of the case of the 1st example. Since it is not necessary to prepare an eyepiece hole and since mask plate 8 the very thing is created for the transparent raw material in the case of this example, and outside can be seen through the mask plate 8 whole, there is the advantage of being easy to make up by a visual field being large.

[0016] Drawing 4 is the front view showing the busy condition of the plate for makeup of the 3rd example. The plate 9 for makeup of the 3rd example shown in drawing 4 is used when shaving eyebrows 6. The plate 9 for makeup forms the eyepiece hole 11 in the mask plate 10, and makes upper limb 10a of the mask plate 10 the curve of an eyebrows configuration. If it is covered with the mask plate 10 to a face and is made for the eyepiece hole 11 to come before an eye, since upper limb 10a of the mask plate 10 is exactly located in the upper part of eyebrows 6, if eyebrows 6 are shaved according to the configuration of this upper limb 10a, the configuration of eyebrows 6 can be prepared finely.

[0017] Since it does not limit, especially the configuration of upper limb 10a prepares some kinds of plates 9 for makeup with which the curvilinear configurations of upper limb 10a differ, and if it enables it to choose from them, it can prepare them on the eyebrows of the configuration according to liking of everybody.

[0018] Drawing 5 is the front view showing the busy condition of the plate for makeup of the 4th

example. The plate 12 for makeup of the 4th example shown in drawing 5 as well as the plate 9 for makeup of the 3rd example is used when shaving eyebrows. Although usage is almost the same as the plate 9 for makeup of the 3rd example, the plate 12 for makeup is creating the mask plate 13 for the transparent raw material. Since the mask plate 13 is transparent, while an eyepiece hole is unnecessary, since outside can be seen through the mask plate 8 whole, a visual field is large, and it is easy to do a shave. Moreover, since there is no eyepiece hole, it can also prevent that the shaved supercilium goes into an eye.

[0019] It does not pass over what has so far been described in the example, and this invention is not limited to these examples. Therefore, about a configuration and a raw material, if it is not limited to the thing of an example and has the same operation and effectiveness, other configurations, a raw material, etc. are employable.

[Translation done.]

* NOTICES *

JPO and NCIPi are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

DESCRIPTION OF DRAWINGS

[Brief Description of the Drawings]

[Drawing 1] It is the perspective view showing the plate for makeup of the 1st example.

[Drawing 2] It is the front view showing the busy condition of the plate for makeup of the 1st example.

[Drawing 3] It is the front view showing the busy condition of the plate for makeup of the 2nd example.

[Drawing 4] It is the front view showing the busy condition of the plate for makeup of the 3rd example.

[Drawing 5] It is the front view showing the busy condition of the plate for makeup of the 4th example.

[Description of Notations]

1, 7, 9, 12 Plate for makeup

2, 8, 10, 13 Mask plate

3 11 Eyepiece hole

4 Notching Hole

5 Elastic Band

6 Eyebrows

[Translation done.]

(19) 日本国特許庁 (J P)

(12) 公開特許公報 (A)

(11) 特許出願公開番号

特開平9-28458

(43) 公開日 平成9年(1997)2月4日

(51) Int.Cl.⁶
A 4 5 D 40/30

識別記号 庁内整理番号

F I
A 4 5 D 40/30

技術表示箇所

審査請求 未請求 請求項の数4 F D (全4頁)

(21) 出願番号 特願平7-209068
(22) 出願日 平成7年(1995)7月24日

(71) 出願人 395015467
小園 ヨシエ
福岡県福岡市博多区麦野6丁目1-14 シーナ21 601号
(72) 発明者 小園 ヨシエ
福岡市博多区麦野6丁目1-14 シーナ21 601号
(74) 代理人 弁理士 加藤 久


(54) 【発明の名称】 化粧用プレート

(57) 【要約】

【目的】 眉を描いたり、眉毛を剃る場合に、眉をきれいな形状に仕上げることができ、使い方も簡単な化粧用プレートを提供する。

【構成】 人間の顔の眉の部分の化粧又は剃毛をする際、顔に被る覆面板2に、接眼孔3及び眉形状をした切欠孔4を設けている。

【効果】 切欠孔の形状に合わせて眉部分の化粧をすれば、眉をきれいな形状に仕上げるができる。



1

【特許請求の範囲】

【請求項1】 人間の顔の眉の部分の化粧又は剃毛をする際に顔に被る覆面板に、接眼孔及び眉形状をした切欠孔を設けた化粧用プレート。

【請求項2】 人間の顔の眉の部分の化粧又は剃毛をする際に顔に被る透明な覆面板に、眉形状をした切欠孔を設けた化粧用プレート。

【請求項3】 人間の顔の眉の部分の化粧又は剃毛をする際に顔に被る覆面板に、接眼孔を設け、同覆面板の上縁を眉形状の曲線とした化粧用プレート。

【請求項4】 人間の顔の眉の部分の化粧又は剃毛をする際に顔に被る透明な覆面板の上縁を、眉形状の曲線とした化粧用プレート。

【発明の詳細な説明】

【0001】

【産業上の利用分野】本発明は、人間の顔の眉の部分の化粧又は剃毛をする際に使用する化粧用具に関する。

【0002】

【従来の技術】眉の部分の化粧をする場合、化粧品を用いて眉を描いたり、剃刀で眉毛を剃ったりすることがあるが、このときは、鏡に向かった本人が、自分の手を使って、いわゆるフリーハンドで行っている。

【0003】

【発明が解決しようとする課題】鏡に向かって、自分の顔の眉を描いたり、眉毛を剃ったりする場合、きれいな形に整わなかったり、左右が対称にならないことが多く、なかなか本人が思うように仕上がらないという問題がある。そこで、本発明は、このような問題を解決するためになされたものであり、本発明が解決しようとする課題は、眉を描いたり、眉毛を剃ったりする場合に、眉をきれいな形状に上げることができ、使い方も簡単な化粧用具を提供することにある。

【0004】

【課題を解決するための手段】本発明は、人間の顔の眉の部分の化粧又は剃毛をする際に、顔に被って使用する化粧用プレートであり、同化粧用プレートには、眉を描くとき、眉の形状をきれいに仕上げる基準とするため、覆面板に所定の眉の形をした切欠孔を設けている。

【0005】また、眉毛を剃るときには、眉の形状を整えるために、覆面板の上縁を所定の眉形状の曲線にした。

【0006】また、眉を描いたり、眉毛を剃ったりする場合、鏡を見る必要があるので、覆面板を顔に被ったとき目の前にくる部分には、外が見えるように接眼孔を設けるか、又は覆面板自体を透明にしている。

【0007】

【作用】本発明の化粧用プレートは、アイマスクのように、顔に被って使用するものであり、眉を描いたり、眉毛を剃ったりする場合、眉を所定の形状に仕上げるための基準とする。

2

【0008】眉を描く場合には、眉形状の切欠孔を設けた覆面板を顔に被り、接眼孔が目の前にくるようすると、同切欠孔が眉の部分に位置する。そこで、この切欠孔の形状に合わせて眉を描けば、眉の形状をきれいに仕上げることができる。

【0009】また、眉毛を剃る場合には、上縁を眉形状の曲線とした覆面板を顔に被り、接眼孔が目の前にくるようになれば、同覆面板の上縁が眉の上部に位置する。そこで、この上縁の形状に合わせて眉毛を剃れば、眉の形状をきれいに整えることができる。

【0010】本発明の化粧用プレートを顔に被った場合、外が見えるように、覆面板には接眼孔を設けているが、覆面板自体を透明にすることにより、接眼孔を省いたものにすることもできる。

【0011】

【実施例】以下、本発明の実施例を図面に基づいて説明する。

【0012】図1は第1実施例の化粧用プレートを示す斜視図、図2は第1実施例の化粧用プレートの使用状態を示す正面図である。この実施例の化粧用プレート1は、眉を描く場合に使用するものである。化粧用プレート1は、アイマスクのように顔に被る覆面板2に、接眼孔3及び眉形状をした切欠孔4を設けている。また、覆面板2を顔面に固定するために、頭部に巻くゴムバンド5を備えている。

【0013】眉を描く場合は、図2に示すように、覆面板2を顔に被り、ゴムバンド5を頭部に巻き、接眼孔3から外が見えるようにして顔面に固定すると、切欠孔4はちょうど眉6の部分に位置する。そこで、この切欠孔4の形状に合わせて、左右それぞれの眉6を描けば、左右が非対称になつたりすることなどもなく、眉6の形状をきれいに上げることができる。また、化粧用プレート1は、アイマスクと同様、覆面板2を顔に被るだけで使用できるので、使い方は極めて簡単である。

【0014】切欠孔4の形状は、特に限定していないので、切欠孔4の形状が異なる化粧用プレート1を何種類か用意して、その中から選択できるようにしておけば、各人の好みに応じた形状の眉に上げることができる。

【0015】図3は第2実施例の化粧用プレートの使用状態を示す正面図である。図3に示す第2実施例の化粧用プレート7も、第1実施例の化粧用プレート1と同様、眉を描く場合に使用するものである。化粧用プレート7は、覆面板8自体を透明な素材で作成し、眉形状をした切欠孔4を設けている。使い方は、第1実施例の場合と同様である。本実施例の場合、覆面板8自体を透明な素材で作成しているため、接眼孔を設ける必要がなく、また、覆面板8全体を通して外が見えるので、視野が広く、化粧をし易いという長所がある。

【0016】図4は第3実施例の化粧用プレートの使用状態を示す正面図である。図4に示す第3実施例の化粧

用プレート9は、眉6を剃る場合に使用するものである。化粧用プレート9は、覆面板10に、接眼孔11を設け、覆面板10の上縁10aを眉形状の曲線としている。覆面板10を顔に被り、接眼孔11が目にくるようにすると、覆面板10の上縁10aがちょうど眉6の上部に位置するので、この上縁10aの形状に合わせて眉6を剃れば、眉6の形状をきれいに整えることができる。

【0017】上縁10aの形状は、特に限定していないので、上縁10aの曲線形状が異なる化粧用プレート9を何種類か用意しておき、その中から選択できるようにしておけば、各人の好みに応じた形状の眉に整えることができる。

【0018】図5は第4実施例の化粧用プレートの使用状態を示す正面図である。図5に示す第4実施例の化粧用プレート12も、第3実施例の化粧用プレート9と同様、眉を剃る場合に使用するものである。使い方は、第3実施例の化粧用プレート9とほぼ同じであるが、化粧用プレート12は、透明な素材で覆面板13を作成している。覆面板13が透明であるため、接眼孔が不要であるとともに、覆面板8全体を通して外が見えるので視野が広く、剃毛がやり易い。また、接眼孔がないので、剃った眉毛等が目に入るのを防止することもできる。

【0019】これまでに述べてきたものは、実施例に過ぎず、本発明はこれら実施例に限定されるものではない。したがって、形状、素材等については、実施例のものに限定されるものではなく、同様の作用、効果を有するものであれば、他の形状、素材等を採用することができる。

【0020】

【発明の効果】本発明により、以下のような効果を奏す

ることができる。

【0021】(a) 本発明の化粧用プレートでは、覆面板に所定の眉形状をした切欠孔を設けているので、この切欠孔に合わせて眉を描けば、眉の形状をきれいに上げることができる。

【0022】(b) また、本発明の化粧用プレートでは、覆面板の上縁を所定の眉形状としているので、この上縁に合わせて眉毛を剃れば、眉の形状をきれいに整えることができる。

【0023】(c) 本発明の化粧用プレートは、アイマスクのように、顔に被るだけで使用できるので、使い方は極めて簡単である。

【図面の簡単な説明】

【図1】第1実施例の化粧用プレートを示す斜視図である。

【図2】第1実施例の化粧用プレートの使用状態を示す正面図である。

【図3】第2実施例の化粧用プレートの使用状態を示す正面図である。

【図4】第3実施例の化粧用プレートの使用状態を示す正面図である。

【図5】第4実施例の化粧用プレートの使用状態を示す正面図である。

【符号の説明】

1, 7, 9, 12 化粧用プレート

2, 8, 10, 13 覆面板

3, 11 接眼孔

4 切欠孔


5 ゴムバンド

30 6 眉


【図1】



【図2】




【図3】



(4)

特開平9-28458

【図4】



【図5】

